

INDEX MAPS.

T. 8N, R. 3E. 2nd Mer.

	318	318	318-319	317-319	317-319	317-319						
320	6	326	5	331	4	335	3	340	2	347	1	317
	326		330		335		340		346		346	
321	7	325	8	330	9	335	10	339	11	345	12	316
	326		330		334		339		345		345	
321	18	325	17	329	16	334	15	338	14	344	13	316
	324		329		334		338		343		344	
320	19	324	20	328	21	333	22	337	23	343	24	316
	323		327-328		333		337		342		343	
320	30	323	29	328	28	332	27	337	26	342	25	315
	323		327		331		336		341		341	
320	31	322	32	327	33	332	34	336	35	340	36	315
	313		313		313		314		314		314	

T. 9N, R. 3E. 2nd Mer.

	355		354		354		354		354		353	
357	6	381	5	375	4	370	3	366	2	361	1	353
	381		381		374		370		365		361	
356	7	380	8	374	9	370	10	365	11	360	12	352
	380		379		374		369		364		360	
356	18	379	17	373	16	369	15	364	14	359	13	352
	379		378		373		368		363		359	
356	19	378	20	372	21	368	22	363	23	359	24	352
	377		377		372		367		363		358	
355	30	376	29	372	28	367	27	362	26	358	25	351
	376		376		371		367		362		357	
355	31	375	32	371	33	366	34	361	35	357	36	351
	349		349-350		349-350		349-350		349-351		349-351	

(P) The figures on the lines refer to the page.

Township N. 8 North, Range N. 3 East T. Mer. Indiana

South Boundary. March 28th 1811

East On S. boundary of Sec. 31, T8 N. R3 E.

- 7.50 a Brook 10 lks. wide Course N45
 16.50 a B. Oak 14 in. dia.
 40.00 Set the q. Sec. post. from which
 a Gum 5 in. dia. bears N37 W 18 lks. dist. 4
 a B. Oak 30 " " " S49 E 24 " "
 63.50 a Brook 30 lks wide Course N.
 77.50 a B. Oak 12 in. dia.
 80.00 Set a post Corner to Sec. 31 & 32, T8 N. R3 E. from which
 a W. Oak 12 in dia. bears S28 W 8 lks. dist. 4
 a Beech 10 " " " N59 E 36 " "

East On S. boundary of Sec. 32 T8 N. R3 E.

- 9.50 a W. Oak 18 in dia.
 16.50 a Brook 25 lks. wide Cr. N.
 36.50 a W. Oak 12 in dia.
 40.00 Set the q. Sec. post from which
 a W. Oak 11 in. dia. bears N51 W 19 lks. dist. 4
 a B. Oak 15 " " " S15 E 21 " "
 69.00 a W. Oak 14 " "
 80.00 Set a post Corner to Sec. 32 & 33, T8 N. R3 E. from which
 a Gum 11 in. dia. bears N60 E 4 lks. dist. 4
 a B. Oak 8 " " " S37 W 26 " "
 Poor Hilly land, timber Beech, Gum &c.

East. On S. boundary of Sec. 33, T8 N. R3 E.

- 22.75 a W. Oak 14 in. dia.
 36.50 a Brook 25 lks. wide Course N. E.
 40.00 Set the q. Sec. post. from which
 a Beech 9 in. dia. bears S64 W 14 lks. dist. 4
 a B. 12 " " " N82 E 19 " "
 50.00 a Brook 20 lks. wide Course W.

T8 N R3 E. 2nd. Mer. Indiana

64. 25 a W. Oak 11 in. dia.
 80. 00 Set a post Corner to Sec. 33 & 34, T8 N. R3 E. from which
 a W. Oak 16 in. dia. bears N52 E 18 lks. dist. &
 a Do 18 " " " S78 W 38 " "
 Land timber &c. same as on the last mile

- East On S. boundary of Sec. 34, T8 N. R3 E.
 9. 00 a Brook 25 lks. wide Course N.
 23. 50 a W. Oak 16 in. dia.
 40. 00 Set the q. Sec. post from which
 a Gum 18 in. dia. bears S72 E 10 lks. dist. &
 a B. Oak 30 " " " N45 W 17 " "
 57. 00 a W. Oak 16 " "
 58. 50 Intersected the boundary line, Set post from which
 a W. Oak 12 in. dia. bears N55 E 10 lks. dist. &
 a Beech 5 " " " S30 W 12 " "
 80. 00 Set a post Corner to Sec. 34 & 35, from which
 a W. Oak 18 in. dia. bears S40 W 14 lks. dist. &
 a Do 14 " " " N45-10 " "
 Poor Hilly land Oak & Beech undergrowth Dogwood &
 Sassafras, Huckleberry.

- East On S. boundary of Sec. 35, T8 N. R3 E.
 25. 65 a branch 8 lks. wide Course N.
 40. 00 Set the q. Sec. post from which
 a W. Oak 16 in. dia. bears N16 E 32 lks. dist. &
 a Do 17 " " " S41 W 15 " "
 78. 37 a Creek 50 lks. wide Course N. W.
 80. 00 Set a post Corner to Sec. 35 & 36, from which
 a W. Oak 13 in. dia. bears N27 W 46 lks. dist. &
 a Do 14 " " " S50 E 28 " "
 The above Corner is 9.25 E. of the Old Cor.
 Rolling Land timber Oak, Dogwood & Sassafras.

T8 N - R3 E, T. Mer. Indiana

East	On S. boundary of Sec. 36, T8 N R3 E.
40.00	Let the gr. Sec. post from which a W. Oak 16 in. dia. bears N 5 W 66 lks. dist. a Do 14 " " " S 33 W 50 " "
70.17	a Branch 6 lks. wide Course N. W.
70.77	Intersected Town Corner.

East Boundary

North	On E. boundary of Sec. 36, T8 N, R3 E.
22.20	a W. Oak 18 in. dia. " "
40.00	Let the gr. Sec. post, from which a W. Oak 13 in. dia. bears S 61 E 25 lks. dist. of a Hickory 7 " " " N 61 W 24 " "
62.90	a Branch 8 lks. wide Cr. Mt.
77.45	a Do 8 lks. " " N. W.
80.00	Let a post Cor. to Sec. 25 of 36, from which a W. Oak 15 in. dia. bears S 41 E 14 lks. dist. of a Do 20 " " " N 21 W 37 " "
	Broken land, timber Oak & Hick. under growth Oak, Sassafras &c.

North On E. boundary of Sec. 25, T8 N, R3 E.

16.15	a Sugar 18 in. dia.
16.98	a Creek 40 lks. wide Cr. Mt.
40.00	Let the gr. Sec. post, from which a Sassafras 6 in. dia. bears S 77 E 9 lks. dist. of a Do 5 " " " N 52 W 10 " "
56.86	a W. Oak 20 " "
62.40	a Branch 8 lks. wide Cr. Mt.
80.00	Let a post Cor. to Sec. 24 of 25, from which a Hickory 20 in. dia. bears S 59 E 15 lks. dist. of a Poplar 18 " " " N 59 E 26 " "

T8N R3E 2nd Mer. Indiana

Broken land, timber Oak, Beech, Hickory, undergrowth Oak, Birch &c.

North On E. boundary of Sec. 24, T8N. R3E.

15.90 a W. Oak 15 in. diam.

40.00 Let the g. Sec. post, from which
a W. Oak 18 in. diam. bears S53°W 24 lks. dist. of
a Dogwood 6 " " " S182°E 25 " "

80.00 Let a post Cor. to Sec. 13 of 24, from which
a Maple 9 in. diam. bears N35½°E 8 lks. dist. of
a W. Oak 12 " " " S187½°W 26 " "

Wet land, timber Oak, undergrowth Hazel, grape vines &c.

North On E. boundary of Sec. 13, T8N. R3E.

8.62 a Beech 24 in. diam.

19.90 a Creek 100 lks. wide Cor. S. & W.

40.00 Let the g. Sec. post, from which
a Hickory 7 in. diam. bears N17°W 9 lks. dist. of
a W. Oak 27 " " " S157½°E 8 " "

72.76 a Maple 12 " "

80.00 Let a post Cor. to Sec. 12 of 13, from which
a W. Oak 30 in. diam. bears S27°W 21 lks. dist. of
a W. Oak 24 " " " S170°E 48 " "

Broken land, Creek bottom rich, timber Oak,
Beech, undergrowth Hazel, greenbrier &c.

North On E. boundary of Sec. 12, T8N. R3E.

13.72 a W. Oak 10 in. diam.

40.00 Let the g. Sec. post, from which
a Sassafras 8 in. diam. bears N60°W 11 lks. dist. of
a Dogwood 4 " " " S16°E 20 " "

55.24 a W. Oak 18 " "

80.00 Let a post Cor. to Sec. 11 of 12, from which

T8 N. R3 E. Tⁿ. Mer. Indiana

a Beech 14 mi. dist. by a S 17 W 18 lks. dist. of
 a Dogwood 4 " " " S 58 E 11 " "
 Broken land, timber Oak, Beech &c. under-
 growth Sassafras & Dogwood

North On E. boundary of Sec. 1, T8 N. R3 E.
 10.24 a W. Oak 18 mi. dist.

40.00 Let the q. Sec. post, from which
 a Chestnut Oak 9 mi. dist. by a S 56 E 24 lks. dist. of
 a Do 10 " " " N 19 W — " "

53.24 a Red Oak 24 " "

84.96 Let a post Cor. to Township 8 of 9 North
 Range 3 of 4 East, from which
 a W. Oak 13 mi. dist. by a S 43 W 6 lks. dist. of
 a Maple 9 " " " N 10 W 20 " "
 Broken land, timber Oak, Hickory, Beech &c

North Boundary

West On Rand^m. S. boundary of Sec. 36, T9 N. R3 E.

40.00 Let temp. q. Sec. post

50.50 a Branch 10 lks. wide C. S.

80.00 Let temp. Sec. post. for Cor. to Sec. 35 & 36
 T9 N. R3 E. May 31st 1819

West On Rand^m. S. boundary of Sec. 35, T9 N. R3 E.

10.15 a Brook 6 lks. wide C. S. W.

40.00 Let temp. q. Sec. post

80.00 Let temp. post. Cor. to Sec. 34 & 35, T9 N. R3 E.

West On Rand^m. S. boundary of Sec. 34, T9 N. R3 E.

40.00 Let temp. q. Sec. post

50.25 a Branch 8 lks. wide C. S. N.

80.00 Let temp. post Cor. to Sec. 33 & 34, T9 N. R3 E.

T8 N - R3 E, 2nd Mer. Indiana

West On Rand^m S. boundary of Sec. 33, T9 N. R3 E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post, Cor. to Sec. 32 & 33, T9 N. R3 E.

West On Rand^m S. boundary of Sec. 32, T9 N. R3 E.
 40.00 Set temp^y. q^r. Sec. post
 80.00 Set temp^y. post Cor. to Sec. 31 & 32, T9 N. R3 E.

West On Rand^m S. boundary of Sec. 31, T9 N. R3 E.
 40.00 Set temp^y. q^r. Sec. post.
 80.00 Set temp^y. Low Cor. for Low, 8 & 9 N. Range
 2 & 3 E. June 1st 1819

East On true line S. boundary of Sec. 31, T9 N. R3 E.
 47.25 Set q^r. Sec. post on true line from which
 a W. Oak 15 in. dia. bear N60 W 17 lbs. dist^y
 a Chest. Oak 12 " " " N55 E 15 " "
 87.25 Set a post Cor. to Sec. 31 & 32, T9 N. R3 E, from which
 a Sassafras 4 in. dia. bear N79 E 7 lbs. dist^y
 a Hickory 6 " " " S17 W 11 " "
 This mile over very broken brushy land timber
 Oak, Hickory, underg^d Sassafras, greenbrier &c

East On true line S. boundary of Sec. 32, T9 N. R3 E.
 40.00 Set the q^r. Sec. post, on true line from which
 a Chestnut Oak 27 in. dia. bear N66 W 4 lbs. dist^y
 a Dogwood 4 " " " N29 E 23 " "
 80.00 Set a post Cor. to Sec. 32 & 33, T9 N. R3 E, from which
 a W. Oak 15 in. dia. bear N87 E 28 lbs. dist^y
 a B. Oak 30 " " " S77 W 65 " "
 Over knob, timber Oak, underg^d Sassafras,
 Buckleberry, greenbrier &c. Stony land

T8N R3E 2^d Mer. Indiana

East On true line S. boundary of 33, T9N. R3E.

40.00 Set the q. Sec. post, from which
a W. Oak 14 m. dia. bray N 74³ E 3⁴ lks. dist. &
a Do 18 " " " N 67⁴ E 4⁹ " "

80.00 Set a post Cor. to Sec. 33 & 34, T9N. R3E, from which
a W. Oak 15 m. dia. bray N 85¹ E 6⁶ lks. dist. &
a Do 17⁰ " " " N 61¹ W 3² " "

Very broken land, timber Oak, undugth. Oak,
Huckleberry, Sassafras &c.

East On true line S. boundary of Sec. 34, T9N. R3E.

40.00 Set q. Sec. post on true line, from which
a W. Oak 18 m. dia. bray N 76⁶ E 14⁴ lks. dist. &
a Do 15 " " " N 81¹ W 4⁴ " "

80.00 Set a post Cor. to Sec. 34 & 35, T9N. R3E, from which
a W. Oak 13 m. dia. bray N 47¹ W 38¹ lks. dist. &
a Do 15 " " " N 17¹ W 30⁰ " "

Over knobs, timber Oak &c. undugth green briar,
Huckleberry &c.

East On true line S. boundary of Sec. 35, T9N. R3E.

40.00 Set the q. Sec. post, on true line, from which
a Gum 8 m. dia. bray N 3³ E 14⁴ lks. dist. &
a Hick. 7 " " " N 71¹ W 18⁰ " "

80.00 Set a post Cor. to Sec. 35 & 36, T9N. R3E, from which
a W. Oak 20 m. dia. bray N 87¹ W 12¹ lks. dist. &
a Do 15 " " " N 50¹ E 24⁰ " "

Over very broken bushy land, timber Oak &c.
undugth. Dogwood, Sassafras &c.

East On true line S. boundary of Sec. 36, T9N. R3E.

40.00 Set the q. Sec. post, on true line from which
a W. Oak 15 m. dia. bray N 37¹ E 25¹ lks. dist. &

T8N. R3E. 2^d. Mer. Indiana

a W. Oak 14 in. dia. - brang N46W31th. dist.
80.00 to Lower Corner
Over broken land June 14th 1819

West Boundary March 26th 1811

North On E. boundary of Sec. 36, T8N. R2E.

- 1.50 a Brook 10 ths. wide Course W.
30.25 a Hickory 16 in. dia.
40.00 at the gr. Sec. post, from which
a Beech 11 in. dia. - brang S15E6th. dist. of
a W. Oak 36 " " " N57W23 " "
48.00 a Creek 150 ths. wide Course W.
80.00 at a post Cor. to Sec. 25 & 36, T8N. R3E, from which
a Beech 12 in. dia. - brang S18W10th. dist. of
a Maple 4 " " " N68E11 " "
First 48 chains land low wet timber Beech & Maple
residue hilly Oak land.

North On E. boundary of Sec. 25, T8N. R2E.

- 6.00 a B. Oak 18 in. dia.
26.50 a Spring run 5 ths. wide Course E.
40.00 at the gr. Sec. post, from which
a B. Oak 24 in. dia. - brang N50W25th. dist. of
a W. Oak 12 " " " N65E21 " "
75.25 a Hickory 12 " "
80.00 at a post Cor. to Sec. 24 & 25, T8N. R2E, from which
a B. Oak 24 in. dia. - brang S45W12th. dist. of
a Hickory 10 " " " N50E6 " "
Land hilly timber W. Oak & Hickory

North On E. boundary of Sec. 24, T8N. R2E.

- 40.00 at the gr. Sec. post, from which
a W. Oak 10 in. dia. - brang S25E28th. dist. of

T8N R3E 2^d Mer. Indiana

- a Poplar 12 in. diam. bearing N59W 26 lks. dist.
 57.00 a W. Oak 16 " "
 63.00 Intersected the boundary line, Set a post, from which
 a Gum 6 in. diam. bearing N50W 29 lks. dist. &
 a B. Oak 13 " " " N42E 50 " "
 Poor hilly Oak land &c. (Continued by J. Hedges)
 Dec. 7th 1819. variation 6° 48' E.
 80.00 Set a post Cor. to Sec. 13 & 24, T8N. R2E, from which
 a W. Oak 12 in. diam. bearing N11E 23 lks. dist. &
 a Gum 5 " " " N38W 50 " "

North On E. boundary of Sec. 13, T8N. R2E.

- 14.50 a Chestnut Oak 24 in. diam.
 40.00 Set the q. Sec. post, from which
 a Gum 10 in. diam. bearing N30E 20 lks. dist. &
 a B. Oak 24 " " " S27W 60 " "
 51.07 a B. Oak 24 " "
 54.75 a Brook 10 lks. wide Course S80E.
 80.00 Set a post Cor. to Sec. 12 & 13, T8N. R2E, from which
 a Chest. Oak 24 in. diam. bearing N43W 11 lks. dist. &
 a Do 30 " " " S12E 23 " "
 Sand hilly & poor timber W. Oak, & Chest. Oak
 undergrowth W. Oak & cherry. & Sassafras

North On E. boundary of Sec. 12, T8N. R2E.

- 10.50 a Brook 10 lks. wide C. S. S30E.
 40.00 Set the q. Sec. post, from which
 a Poplar 12 in. diam. bearing N85E 90 lks. dist. &
 a Chest. Oak 16 " " " N69W " "
 68.20 a Chest. Oak 10 " "
 80.00 Set a post Cor. to Sec. 11 & 12, T8N. R2E, from which
 a B. Oak 14 in. diam. bearing S25W 37 lks. dist. &
 a Chest. Oak 16 " " " N57E 27 " "

T8N R3E, T. Mer. Indiana

Land very poor, timber W & Chest. Oak,
undg.th W. Oak, Hickory & Sassafras.

North On E. boundary of Sec. 1, T8N, R2E,

26.33 a W. Oak 30 in. dia.

28.00 a Brook 10 lks. wide Course N80W

40.00 At the q. Sec. post, from which

a W. Oak 16 in. dia. bear S38W 12 lks. dist. of

a do 20 " " " N76E 11 " "

55.00 a Brook 12 lks. wide Cr. N66W.

58.53 a W. Oak 12 in. dia.

82.50 a Brook 12 lks. wide Cr. N80W

94.25 Intersected the Town line 18.35 East of post

Cor. to Sec. 36, in T9N, R2E, & Sec. 31, in T9N,

R3E. and set a post Cor. to Town, 8 N. 1 Range,

2 1/2 3 East, from which

a J. Oak 5 in. dia. bear N14E 25 lks. dist. of

a W. Oak 3 " " " S23W 15 " "

Land hilly & poor, timber W & C. Oak, Hickory
&c. undg.th W. Oak, Hickory & Sassafras.

T. N. of the Old boundary line, Surveyed in
1811 by Alexander Holmes, Dep. Surveyor

N. E. of the Old boundary line Surveyed in
1819 by John M. McDonald, Dep. Surveyor

Subdivision.

North Between Secs. 31 & 32, T8N, R3E

34.00 a Brook 125 lks. wide Cr. S.W.

40.00 At the q. Sec. post, from which

a Beech 18 in. dia. bear N35W 7 lks. dist. of

and Ash 18 " " " S5E 27

80.00 Set a post cor. to Secs. 29, 30, 31 & 32, from which

a Sugar 10 in. dia. bear S8E 8 lks. dist. of

T8N. R3E. 2^d. Mer. Indiana

a Sugar 6 in. dia. bran West 12 lks. dist.
Land rolling thin Soil

West 1 Between Secs. 30 & 31, T8N. R3E.

7.00 a Brook 12 lks. wide C.S. W.

40.00 Let the g^r. Sec. post, from which
a Beech 10 in. dia. bran S62°W 6 lks. dist. &
a Sugar 7 " " " N32E 20 " "

80.68 Intersected the W. boundary 114 lks. S. of post
Let a post Cor. to Secs. 30 & 31, from which
a W. Oak 20 in. dia. bran S52E 7 lks. dist. &
a Do 15 " " " West 22 " "
Good farming land, Oak timber

North 1 Between Secs. 29 & 30, T8N. R3E.

39.00 a Brook 15 lks. wide C.S. W.

40.00 Let the g^r. Sec. post, from which
a W. Oak 3 in. dia. bran N31E 5 lks. dist. &
a Hickory 24 " " " S47°W 6 " "

80.00 Let a post Cor. to Secs. 19, 20, 29 & 30, from which
a Sycamore 3 in. dia. bran S20°W 30 lks. dist. &
Land the same as on the last mile

West 1 Between Secs. 19 & 30, T8N. R3E.

40.00 Let the g^r. Sec. post, from which

a W. Oak 20 in. dia. bran N85E 15 lks. dist. &
a Do 20 " " " N85°W 19 " "

80.84 Intersected the W. boundary 96 lks. S. of post
Let a post Cor. to Secs. 19 & 30, from which
a Poplar 20 in. dia. bran S9E 12 lks. dist. &
a Do 15 " " " N43°W 14 " "
Land hilly thin Soil, timber Oak & Hickory

S. N. R. 3 E. 2^d. Mer. Indiana

North Between Secs. 19 & 20, S. 8 N. R. 3 E

1.39 Intersected the boundary line, at post, from which
a Beech 10 in. dia. bears N 84° W 63 lks. dist.December 6th 1819

5.00 touch End of Stream 20 lks. wide S 5 E.

10.13 a Walnut 18 in. dia.

17.10 a Brook 8 lks. wide Cr. S. 40 E.

38.40 a Brook 8 lks. S. 45 E

40.00 Set the q: Sec. post from which

a Sugar 12 in. dia. bears S 83 E 41 lks. dist. &

a B. Eye 8 S 77 W 61

55.00 a Brook 20 lks. wide Cr. S. 10 E.

63.00 a W. Oak 13 in. dia.

78.00 a Brook 12 lks. wide Cr. S. 15 W.

80.00 Set a post Corner to Secs. 17, 18, 19 & 20. from which

a Hickory 8 in. dia. bears S 67 W 45 lks. dist. &

a Sycamore 20 S 59 E 40

Land Hilby & poor timber W. & B. Oak underg^d. dogw.

West On Random Between Secs. 18 & 19, S. 8 N. R. 3 E.

23.01 a Brook 15 lks. wide Course S.

34.00 a do 15 S. 60 E.

40.00 Set temp. q: Sec. post

79.39 Intersected the West boundary 192 lks. S. of post

Poor Hilby Land timber W. & E. Oak, Hickory &c.
underg^d. dogwood & Hickory.

East On true line Between Secs. 18 & 19, S. 8 N. R. 3 E.

39.96 Set the q: Sec. post at the average dist. from which

a W. Oak 20 in. dia. bears N 4 W 56. lks. dist. &

a Maple 14 S 10 E 9

79.92 to Section Corner

T8 N. R3 E. 2nd Mer. Indiana

North Between Secs. 17 & 18, T8 N. R3 E.

27.86 a Gum 15 in. dia.

41.00 Set the q. Sec. post from which
a Poplar 18 in. dia. bears N61 W. 24 lks. dist. of
a P. Oak 24 " " " S84 E 50 " "

69.75 a Hickory 12 " "

46.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which
a W. Oak 28 in. dia. bears N76 W 15 lks. dist. of
a Gum 10 " " " N67 E 39 " "
Broken poor land, timber, W. Oak, Gum, Hickory,
underg^d. W. Oak, Hickory & Sassafras

West On Random between Secs. 7 & 18, T8 N. R3 E.

24.60 a Brook 10 lks. wide Course N10 E

40.00 Set temp. q. Sec. post

76.10 a Brook 10 lks. wide Course East

80.74 Intersected the W. boundary 24 lks. S. of post
very hilly & poor land, timber W. C. Oak, Hickory
& Gum underg^d. W. Oak, Hickory & Sassafras.

East On true line between Secs. 7 & 18, T8 N. R3 E.

40.37 Set q. Sec. post on true line, from which
a Chestnut Oak 13 in. dia. bears N65 E 24 lks. dist. of
a Do 13 " " " N85 W 50 " "

80.74 to Sec. Corner

North Between Secs. 7 & 8, T8 N. R3 E.

22.64 a W. Oak 15 in. dia.

40.00 Set the q. Sec. post, from which
a Chest. Oak 11 in. dia. bears S81 W 21 lks. dist. of
a Do 13 " " " N77 E 30 " "

66.90 a W. Oak 18 " "

80.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which

T8 N. R3 E. 2^d. Mer. Indiana

a W. Oak 40 in. dia. bear N44 E 11 lks. dist. of
 a Hickory 13 " " " S16 E 61 " "
 Sand poor & very hilly, timber W. & E. Oak &
 Hickory, under W. Oak, Hickory & Sassafras

West Out Random between Sec. 6 & 7, T8 N. R3 E.
 40.00 Set temp. q. Sec. post
 43.60 a Brook 4 lks. wide Course N30 E.
 78.75 intersected the W. boundary 31 lks. N. of post
 Sand timber &c. same as on the last mile

East On true line betw. Sec. 6 & 7, T8 N. R3 E
 39.37 1/2 Set q. Sec. post at average dist. from which
 a Chest. Oak 10 in. dia. bear N41 W 34 lks. dist. of
 a Do 24 " " " S49 E 37 " "
 78.75 to Sec. Corner. Dec. 9th 1819

North Between Sec. 5 & 6, T8 N. R3 E.
 10.39 a Poplar 13 in. dia.
 40.00 Set the q. Sec. post, from which
 a Chest. Oak 24 in. dia. bear S86 W 46 lks. dist. of
 a Do. 18 " " " S24 E 50 " "
 54.00 a Brook 6 lks. wide C.S. N60 W
 62.50 a Maple 8 in. dia.
 72.10 a Brook 8 lks. wide C.S. N70 W
 80.50 a Do 10 " " " S45 W
 92.75 intersected the N. boundary 800 lks. E. of post
 Cor. to Sec. 31 & 32 in the adjacent Township, set
 a post Cor. to Sec. 5 & 6, from which
 a Hickory 3 in. dia. bear N40 E. 22 lks. dist. of
 a B. Oak 6 " " " S3 W 60 " "
 Sand timber &c. same as on the last mile

T8N-R3E-2nd Mer. Indiana

North Between Secs. 32 & 33, T8N-R3E.

40.00 Set the q. Sec. post, from which

an Ironwood 4 in. dia. bray N65W 11 lks. dist. of

a do 8 " " " S74E 13 " "

68.65 at Brook 100 lks. wide Course West

80.00 Set a post Cor. to Secs. 28, 29, 32 & 33, from which

a Beech 18 in. dia. bray S26W 22 lks. dist. of

a do 15 " " " N32W 24 " "

Land very hilly, timber Oak, hickory & Beech

East On Rand 7th between Secs. 29 & 32, T8N-R3E.

37.50 a Creek 100 lks. wide Cr. South

40.00 Set temp. q. Sec. post

41.00 a Creek 100 lks. wide Cr. North

79.50 Intersected N & S. line at the Corner
(description Omitted)

West On true line between Secs. 29 & 32, T8N-R3E.

39.75 Set q. Sec. post at average dist. from which

a Beech 20 in. dia. bray N77W 16 lks. dist. of

a do 20 " " " N51E 29 " "

79.50 to Sec. Corner

East Between Secs. 20 & 29, T8N-R3E.

1.88 Intersected the boundy. Set a post, from which

a W. Walnut 4 in. dia. bray N15E 12 lks. dist. of

a do 10 " " " S57E 16 " "

2.00 at Brook 20 lks. wide Course South

34.65 a W. Oak 13 in. dia.

40.00 Set temp. q. Sec post

48.30 a W. Oak 24 in. dia.

50.75 at Brook 6 lks. wide Cr. S80E

72.00 a do 20 " " " South

T8 N. R3 E. 2nd Mer. Indiana

80.00 At temp^y. Sec. post. Land hilly & poor
timber W. Oak & Beech, underg^d. Dogwood &c.

North Between Secs. 28 & 29, T8 N. R3 E.

25.50 to the boundary in the Brook 100 lbs. wide
Course ^(530th) East (Continued by J. Skedger)

14.50 At temp^y. q^r. Sec. post

21.70 a Beech 14 in. dia^r.

25.50 a Brook 20 lbs. wide Cr. S40 E.

57.00 Intersected the E. M. line 29 lbs. N. of temp^y. post
Set a post Cor. to Secs. 20, 21, 28 & 29, from which
a W. Oak 18 in. dia^r. bran S77 W41 lbs. dist. of
a No 20 " " " N74 E 20 " "

Land uneven part bottom, timber W. Oak,
Beech & Sugar, underg^d. Dogwood & Spice

41.25 Travelled South and set q^r. Sec. post at
average dist. from which
a Beech 10 in. dia^r. bran S85 W22 lbs. dist. of
a No 10 " " " N87 E 56 " "

West On true line between Secs. 20 & 29, T8 N. R3 E

39.85 At q^r. Sec. post at average dist. from which
a Hickory 11 in. dia^r. bran N58 E 6 lbs. dist. of
a W. Oak 10 " " " S21 W26 " "

79.71 to Sec. Corner.

North Between Secs. 20 & 21, T8 N. R3 E.

13.70 a Beech 9 in. dia^r.

22.50 a Brook 20 lbs. wide Cr. S15 E.

26.50 Same 20 " " " S20 E.

40.00 At the q^r. Sec. post, from which
a Beech 7 in. dia^r. bran S19 E 10 lbs. dist. of
a W. Oak 7 " " " N9 W9 " "

T8 N. R3 E. 2ⁿ. Mer. Indiana

45.50 a Brook 20 lks. wide Course S30W

47.00 Sam 20 " " " S15E

57.75 a W. Oak 13 in. dia.

80.00 Set a post Cor. to Secs. 16, 17, 20 & 21, from which
a Chest. Oak 18 in. dia. bears N40W 67 lks. dist. of
a W. Oak 24 " " " N66E 21 " .

Land poor hilly and thickety, timber W. Oak,
Hickory & Beech, underg. Hickory, Dogwood & W. Oak.

Met. On Random between Secs. 17 & 20, T8 N. R3 E.

8.70 a Brook 12 lks. wide Course South

40.00 Set temp. q. Sec. post

80.36 Intersected the N6S. line 14 lks. N. of post

Land hilly & poor timber W. Oak & Hickory, underg.
Dogwood, W. Oak & Hickory

East On true line between Secs. 17 & 20, T8 N. R3 E.

40.18 Set q. Sec. post at average dist. from which
a P. Oak 6 in. dia. bears S83W 4 lks. dist. of
a Do 16 " " " S47E 47 " "

80.36 to Sec. Corner

North Between Secs. 16 & 17, T8 N. R3 E.

11.40 a W. Oak 13 in. dia.

40.00 Set the q. Sec. post, from which

a W. Oak 16 in. dia. bears S15E 31 lks. dist. of
a Do 24 " " " N63W 23 " "

46.00 a Brook 6 lks. wide Course S80E.

54.40 a P. Oak 24 in. dia.

80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which
a W. Oak 36 in. dia. bears S89E 44 lks. dist. of
a Do 36 " " " S80W 15 " "

Land timber &c. same as on the last mile

T8 N. R3 E. 2nd Mer. Indiana

West On Rand^m betwⁿ Sec^s 8 & 17, T8 N. R3 E.

12.50 a Brook 8 lks. wide Course N. 60 E.

40.00 Set the ^{temp^y} q^r. Sec. post

75.00 a Brook 8 lks. wide Course South

80.00 Intersected the N & S line 153 lks. N. of the post

Hilly poor land, timber W. B. & C. Oak & Hickory, undergrowth
Dogwood & Hickory

East On true line Between Sec^s 8 & 17, T8 N. R3 E.

40.00 Set the q^r. Sec post at average dist. from which
a Poplar 5 in. dia^r. bears S 57 W 46 lks. dist. &
a W. Walnut 3 " " " S 59 E 14 " "

80.00 to Section Corner

North Between Sec^s 8 & 9, T8 N. R3 E.

8.00 a Brook 8 lks. wide Course N. 60 E.

13.50 a Sugar 15 in. dia^r.

18.00 a Brook 20 lks. wide Course East.

40.00 Set the q^r. Sec. post from which

a W. Oak 12 in. dia^r. bears S 32 E 31 lks. dist. &

a Do 16 " " " N 25 W 13 " "

55.60 a Brook 20 lks. wide Course S. 35 E.

58.60 a Beech 10 in. dia^r.

80.00 Set the post Corner to Sec^s 4, 5, 8, & 9. from which

a W. Oak 12 in. dia^r. bears N 35 E 8 lks. dist. &

a Do 6 " " " S 77 W 52 " "

Land Hilly & poor timber W. B. Oak Hickory & Gum undergrowth
Hickory Dogwood & W. Oak.

West On Random Between Sec^s 5 & 8, T8 N. R3 E.

8.90 a Brook 15 lks. wide Course S 45 E.

40.00 Set the temp^y q^r. Sec. post

55.50 a Brook 6 lks. wide Course South

T8N R3E 2^d Mer. Indiana

56.75 a Brook 6 lks. wide Course S15 E.

80.80 Intersected the N & S. line 53 lks. N. of the Corner
Land poor & Hilly timber W.B.C. Oak & Hickory undergrowth
Sapafrae & Hickory.

East On true line Between Secs. 5 & 8, T8N. R.3 E.

40.40 Set the q. Sec. post at average dist. from which
a W. Oak 18 in. dia. bears N54 E 32 lks. dist. &
a C. Oak 14 " " " S11 E 16 " "

80.80 to Section Corner-

North Between Secs. 4 & 5, T8N. R.3 E.

20.40 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post from which
a C. Oak 10 in. dia. bears N89 E 19 lks. dist. &
a do 12 " " " S75 W 35 " "

49.80 a W. Oak 12 " "

89.00 Intersected the N. boundary 6.60 lks. E. of the post cor.
to Secs. 32 & 33 in the adjacent Township, at post. from which
a W. Oak 13 in. dia. bears S72 W. 66 lks. dist. &
a do 30 " " " S83 E 14 " "
Land Hilly & poor timber C.W. & B. Oak & Hickory undergrowth
Hickory Dogwood & Sapafrae

East Between Secs. 28 & 33, T8N. R3E.

15.00 a Brook 10 lks. wide C.S.E.

36.82 Intersected the old boundary at post. from which
a W. Oak 12 in. dia. bears S55 E 13 lks. dist. &
a Beech 3 " " " N43 W 6 " "

40.00 Set temp. q. Sec. post

47.60 a Gum 9 in. dia.

80.00 Set temp. Sec. post. Land S. part level,
timber W. Oak, Sugar & Beech

T8 N. R3 E. 2^d Mer. Indiana

West On true line between Secs. 28 & 33, T8 N. R3 E.
 39.00 Set of Sec. post at average dist. from which
 a W. Oak 28 in. dia. bears N19°5' E. 1/2 mi. dist. of
 a Beech 12 " " " N45° E 23 " "
 78.00 to Sec. Corner.

North Between Secs. 33 & 34, T8 N. R3 E.
 40.00 Set the of Sec. post, from which
 a Dogwood 3 in. dia. bears S16° W 4 1/2 lbs. dist. of
 a Beech 15 " " " N19° W 26 " "
 44.50 Intersected the boundary line, set post, from which
 an Elm 15 in. dia. bears S88° W 10 lbs. dist. of
 a Hickory 20 " " " N13° E 32 " "
 53.50 Corner at D
 57.00 a Stream 40 lbs. wide C.S. N85° W
 60.54 a Hickory 8 in. dia.
 79.50 Intersected the E.M. line 200 lbs. N. of post
 Set a post Cor. to Secs. 27, 28, 33 & 34, from which
 a Beech 10 in. dia. bears S75° W 30 lbs. dist. of
 a Sugar 6 " " " N35° E 37 " "
 Land generally level & 2^d rate, timber W. Oak
 Sugar & Beech Dec. 13. 1819

North Between Secs. 27 & 28, T8 N. R3 E.
 11.00 a W. Oak 18 in. dia.
 40.00 Set the of Sec. post from which
 a Hickory 13 in. dia. bears N60° E 32 lbs. dist. of
 a W. Oak 16 " " " S35° W 15 " "
 44.60 a Brook 8 lbs. wide Course S60° W.
 59.00 a Sugar 8 in. dia.
 74.50 a Brook 15 lbs. wide Course West.
 80.00 Set a post Corner to Secs. 21, 22, 27 & 28, from which
 a W. Oak 12 in. dia. bears S19° E 32 lbs. dist. of

S 8 N R 3 E 2^d Mer. Indiana

a Beech 7 in. dia. bears N 22 W 25 lbs. dist.
Land Hilly & poor, timber W. Oak Hickory & Gum
undergrowth Dogwood & Hickory.

West On Random Between Sec. 21 & 28, S 8 N, R 3 E.
21. 50 a Stream 100 lbs. wide Course South
40. 00 Set the temp. g. post
77. 78 Intersected the West boundary at the post
N. half level and 2^d rate last 1/2 poor & Hilly timber W. B.
Oak Hickory undergrowth Dogwood & Sassafras.

East On true line Between Sec. 21 & 28, S 8 N, R 3 E.
38. 89 Set the g. Sec. post at average dist. from which
a W. Oak 14 in. dia. bears S 39 W 58 lbs. dist. &
a Gum 14 " " " N 52 E 2 " "
77. 78 to Section Corner

North Between Sec. 21 & 22, S 8 N, R 3 E.
4. 50 a Brook 6 lbs. wide Course S 30 W.
10. 36 a W. Oak 18 in. dia.
27. 50 a Stream 90 lbs. wide Course S 40 W.
31. 50 a Same " " " " S 30 E
34. 50 a Same Stream " " S 60 W
40. 00 Set the g. Sec. post from which
a Sycamore 48 in. dia. bears N 4 E 25 lbs. dist. &
a Hickory 18 " " " S 32 W 9 " "
43. 50 the last mentioned Stream S 50 E
49. 00 the same Stream S 35 W
59. 40 an Elm 12 in. dia.
65. 00 a Stream 50 lbs. wide Course S 80 E
80. 00 Set a post Corner to Sec. 15, 16, 21 & 22, from which
a W. Oak 20 in. dia. bears N 47 W 42 lbs. dist. &
a Do 16 " " " S 10 E 33 " "

T8 N R3 E2 Mer. Indiana

West On Random Between Sec. 16 & 21, T8 N R3 E,
 4 . 50 a stream 50 lks. wide Course S. 80 W.
 56 . 00 a Brook 15 " " " S. 60 E.
 40 . 00 Set temp. y. q. Sec. post
 79 . 90 Intersected the N & S. line 7 lks. N. of the Sec. corner
 Land Hilly & poor, timber W. 15. Oak & Hickory undergrowth
 Dogwood Hickory & Sassafras.

East On true line Between Sec. 16 & 21 T8 N. R3 E.
 39 . 95 Set the q. Sec. post at average dist. from which.
 a Beech 14 in. dia. bears S 84 E. 20 lks. dist. &
 a Sugar 10 " " " N 58 W 14 " "
 79 . 90 to Section Corner

North Between Sec. 15 & 16, T8 N. R3 E. Dec. 5. 14th. 1819
 6 . 25 a Spring 4 lks. wide Course West head 1 Ch. E.
 21 . 38 a W. Oak 14 in. dia.
 40 . 00 Set the q. Sec. post from which
 a W. Oak 26 in. dia. bears N 42 E 47 lks. dist. &
 a Do 12 " " " S 38 W 28 " "
 54 . 40 a 15. Oak 18 " "
 80 . 00 Set a post Corner to Sec. 9, 10, 15 & 16, from which
 a Sugar 15 in. dia. bears S 22 W 4 lks. dist. &
 a W. Oak 15 " " " N 41 E 56 " "
 Land Hilly poor thickly timber W. 15. Oak & Hickory undergrowth
 Dogwood Hickory & Sassafras.

West On Random Sec. 9 & 16 T8 N. R3 E.
 17 . 50 a Brook 15 lks. wide Course S 5 W.
 40 . 00 Set the temp. y. q. Sec. post
 59 . 50 a Brook 15 lks. wide Course S 70 E.
 80 . 00 Intersected the W. boundary 55 lks. North of post
 Land & timber as on the last mile

T8 N R3 E 2nd Mer. Indiana

East On true line Between Secs. 9 & 16, T8 N, R3 E.
 40 .00 Set the q^r. Sec. post at average dist. from which
 a W. Oak 18 in. dia^r. bears S80 E 58 lks. dist. &
 a Hickory 7 " " S79 W 29 " "
 80 .00 To Section Corner

North Between Secs. 9 & 10, T8 N, R3 E.
 20 .05 a B. Oak 12 in. dia^r.
 40 .10 Set the q^r. Sec. post from which
 a W. Oak 15 in. dia^r. bears S8 W 52 lks. dist. &
 a L^r 11 " " " N80 E 29 " "
 49 .00 a W. Oak 30 " "
 79 .30 a Brook 5 lks. wide Course S70 E.
 80 .00 Set a post Corner to Secs. 3, 4, 9 & 10, from which
 a W. Oak 12 in. dia^r. bears N16 W 63 lks. dist. &
 a B. Oak 15 " " " S4 E 23 " "
 Land & timber as on the last mile.

West On Random Between Secs. 1 & 9, T8 N, R3 E.
 1 .00 a Brook 5 lks. wide Course S70 E
 40 .00 Set the temp^y. q^r. Sec. post
 60 .00 a Brook 15 lks. wide Course South
 80 .48 Intersected the W. boundary 48 lks. North of post
 Land Hilly & poor timber W. B. Oak & Hickory undergrowth
 Hickory Dogwood & W. Oak.

East On true line Between Secs. 4 & 9, T8 N, R3 E.
 40 .24 Set a q^r. Sec. post at the average dist from which
 a W. Oak 12 in. dia^r. bears N15 W 54 lks. dist. &
 a L^r 12 " " " S15 E 6 " "
 80 .48 To Section Corner

North Between Secs. 3 & 4, T8 N, R3 E.

T8 N. R3 E. T. Mer. Indiana

30. 60 a C. Oak 24 in. dia.
 40. 00 Set the q. Sec. post from which
 a W. Oak 12 in. dia. bears S 37 W 48 lks. dist. &
 a Poplar 30 " " " N 37 E 4 " "
 51. 25 a Poplar 36 " "
 55. 50 a Brook 8 lks. wide Course N 40 W.
 87. 50 Intersected the N. boundary 8 Ch. & 90 lks. East of post
 Corner to Sec. 33 & 34, in the adjacent township. Set a post
 from which, a B. Oak 3 in. dia. bears S 44 E 31 lks. dist. &
 a W. Oak 3 " " " S 52 W 9 " "
 Land poor & hilly thickly timbered W. C. Oak poplar Hickory
 undergrowth W. Oak Hickory Logwood &c

North Between Sec. 34 & 35, T8 N. R. 3 E.

10. 60 a W. Oak 14 in. dia.
 26. 60 a Brook 50 lks. wide Course N. 8 E.
 40. 00 Set the q. Sec. post from which
 a W. Oak 12 in. dia. bears S 70 W 18 lks. dist.
 a Sum. 12 " " " N 30 E 14 " "
 80. 00 a W. Oak 10 in. dia. for Corner tree Corner to Sec. 26, 27, 34 & 35.
 from which a B. Oak 14 in. dia. bears N 54 E 47 lks. dist.
 Land and timber as on the last mile

West On Random Between Sec. 27 & 34, T8 N. R. 3 E.

1. 00 a Brook 10 lks. wide Course S 40 E.
 23. 50 a do 8 " " " S 45 E.
 40. 00 Set the temp. q. Sec. post.
 55. 00 a Brook 8 lks. wide Course S 45 W.
 80. 00 Intersected the N. boundary 3 Ch. & 47 lks. North of
 post, Land and timber as above

East On true line Between Sec. 27 & 34, T8 N. R. 3 E.

40. 00 Set the q. Sec. post at the average dist. from which

T8 N R3 E 2^d Mer Indiana

a W. Oak 24 in. dia. bears N 35 E 18 lks. dist. &
a B. Oak 6 " " " S 68 W 12 " "

80.00 to Section Corner

North Between Sec^s. 26 & 27, T8 N, R3 E

6.75 a Brook 8 lks. wide Course S 45 W.

22.00 a W. Oak 14 in. dia.

40.00 Set the q^r. Sec. post from which

a Dogwood 5 in. dia. bears N 30 W 20 lks. dist. &

a Do 4 " " " S 49 E 4 " "

53.40 a Poplar 40 " "

80.00 Set a post Corner to Sec^s. 22, 23, 26 & 27, from which

a Gum 14 in dia. bears S 89 E 12 lks. dist. &

a Beech 8 " " " S 79 W 11 " "

Land Hilly & poor timber W. Oak B. Oak & Hickory
undergrowth Dogwood & Sassafras.

West On Random Between Sec^s. 26 & 27, T8 N, R3 E.

28.75 a Brook 6 lks. wide Course S 70 W

40.00 Set the temp^y. q^r. Sec. post

69.50 a Brook 6 lks. wide Course S 50 W

79.60 Intersected the N & S. line 20 lks. North of post

Land Hilly & poor 3^d rate timber W. & B. Oak & Hickory
undergrowth Hickory W. Oak Dogwood & Sassafras.

East On true line Between Sec^s. 26 & 27, T8 N, R3 E.

39.80 Set the q^r. Sec. post at average dist. from which

a Poplar 18 in. dia. bears S 60 W 12 lks. dist.

a Beech 8 " " " N 63 E 19 " "

79.60 to Section Corner

North Between Sec^s. 22 & 23, T8 N, R3 E.

13.50 a Brook 5 lks. wide Course W.

T8 N. R3 E, 2^d. Mer. Indiana

- 39.50 a Beech 12 in. dia.
 40.00 a Brook 10 lbs. wide Course N50 W
 40.00 Let the gr. Sec. post, from which
 a Maple 10 in. dia. bear N33 E 18 lbs. dist. of
 a Sycamore " " " S4 E 47 " "
 57.00 a W. Oak 14 " "
 60.00 a Brook 15 lbs. wide Course S80 W
 80.00 Let a post Cor. to Sec. 14, 15, 22 & 23, from which
 a W. Oak 20 in. dia. bear S59 W 10 lbs. dist. of
 a Ho 22 " " " East 14 " "
 Land hilly & poor, timber W. Oak & Hickory
 under " W. Oak, hick. & Yellowwood

- West On Random between Sec. 15 & 22, T8 N. R3 E
 40.00 Let temp. gr. Sec. post
 66.00 a Stream 80 lbs. wide Course S15 W
 80.00 Intersected the N & S. line 33 lbs. N. of the post
 Land timber &c. same as on the last mile

- East On true line between Sec. 15 & 22, T8 N. R3 E.
 40.00 Let the gr. Sec. post at average dist. from which
 a Gum 12 in. dia. bear S48 W 15 lbs. dist. of
 a W. Oak 12 " " " S89 W 31 " "
 80.00 to Sec. Corner Dec. 17th 1819

- North Between Sec. 14 & 15, T8 N. R3 E.
 20.50 an Elm 14 in. dia.
 21.00 a Stream 80 lbs. wide Course West
 40.00 Let the gr. Sec. post, from which
 a Beech 26 in. dia. bear S67 W 20 lbs. dist. of
 a Sugar 10 " " " N35 E 22 " "
 54.00 a W. Oak 13 " "
 76.00 a Brook 5 lbs. wide Course S50 E.

S 8 N. R 3 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which
 a W. Oak 16 in. dia. beam S 13 E 40 lks. dist. &
 a Do 12 " " " N 13 W 65 " "
 Land hilly & poor, W. Oak & Hickory, undergrowth
 Hickory, Dogwood & W. Oak.

West On Random between Sec. 10 & 15, S 8 N. R 3 E.

30.50 a Brook 8 lks. wide Course S 80 E.
 40.00 Set temp. q. Sec. post
 48.00 a Brook 12 lks. wide Course South
 80.75 Intersected the N & S. line 14 lks. S. of post
 Land timber &c. same as on the last mile

East On true line between Sec. 10 & 15, S 8 N. R 3 E.

40.37 1/2 Set the q. Sec. post at average dist. from which
 a W. Oak 10 in. dia. beam S 33 W 18 lks. dist. &
 a Do 20 " " " N 62 E 19 " "
 80.75 to Section Corner

North Between Sec. 10 & 11, S 8 N. R 3 E.

20.00 a Hickory 11 in. dia.
 40.00 Set the q. Sec. post, from which
 a W. Oak 12 in. dia. beam S 67 W 51 lks. dist. &
 a Do 14 " " " N 58 E 45 " "
 40.50 a Brook 8 lks. wide Cr. S 60 E.
 58.75 a Gum 9 in. dia.
 68.50 a Brook 15 lks. wide Cr. S 30 E.
 80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which
 a W. Oak 14 in. dia. beam S 30 E 21 lks. dist. &
 a Do 18 " " " N 42 W 60 " "
 Land poor & hilly, timber W. Oak, Hickory & Gum,
 undergth. Dogwood, hick^y, W. Oak & Sassafras

T8N R3E, 2nd Mer. IndianaWest On Rand^m. between Sec^s. 3 & 10, T8N, R3E.

6.70 a Brook 8 lks. wide Course South

17.00 a Brook 10 " " " S 15 E.

40.00 Set the temp^y. g^l. Sec. post

66.00 a Brook 8 lks. wide Course South

81.00 Intersected the N & S. line 45 lks. S. of the post
Land poor and Hilly timber W. Oak. B. Oak & Hickory
undergrowth W. Oak Hickory Sapasras -East On true line Between Sec^s. 3 & 10, T8N, R3E.40.50 Set the g^l. Sec. post at average dist. from which
a W. Oak 14 in. dia^r. bears N 22 E 4 lks. dist. &

a Do 12 " " " S 10 W 22 " "

81.00 to Section Corner

North Between Sec^s. 2 & 3, T8N, R3E.19.60 a W. Oak 12 in. dia^r.

33.50 a Brook 6 lks. wide Course S 60 E.

40.00 Set the g^l. Sec. post from which
a W. Oak 8 in. dia^r. bears S 10 W 38 lks. dist. &

a Do 8 " " " N 3 W 38 " "

46.50 a Brook 4 lks. wide Course S 50 E.

39.80 a W. Oak 14 in. dia^r.81.85 Intersected the N. boundary ^{ch} 11.10 lks. E. of post.~~Set a post~~ Corner to Sec^s. 34 & 35, in adjacent townshipSet a post Cor. to Sec^s. 2 & 3, T8N, R3E, from whicha W. Oak 18 in. dia^r. bears N 12 W 22 lks. dist. &

a B. Oak 3 " " " S 39 E 12 " "

Land Hilly & poor undergrowth and timber the same as
on the last MileNorth Between Sec^s. 35 & 36, T8N, R3E.22.00 a W. Oak 18 in. dia^r.

T8N-R3E-2^d. Mer. Indiana

- 33.00 a Stream 40 lks. wide Course N30W.
 40.00 Set the q. Sec. post from which
 a W. Walnut 13 in. dia. bears S30E 40 lks. dist. &
 a No 8 " " " N30W 67 " "
 52.85 a W. Oak 12 " "
 80.00 Set a post Corner to Secs. 25, 26, 35 & 36, from which
 a W. Oak 15 in. dia. bears N70E 40 lks. dist. &
 a No 18 " " " S28E 27 " "
 Uneaven 2^d. rate timber W. ^{Oak} Hickory &c. undergrowth.
 Dogwood & Sassafras -
-

- West On Random Between Secs. 26, 35, T8N-R3E.
 17.50 a Brook 10 lks. wide Course S10W.
 40.00 Set the temp. q. Sec. post
 45.00 a Brook 10 lks. wide Course S40E.
 80.76 Intersected the N. & S. line 310 lks. North of post
 Hilly & poor Land timber W. Oak & Hickory undergr-
 -owth W. Oak Hickory & Sassafras -
-

- East On true line Between Secs. 26 & 35, T8N-R3E.
 40.38 Set a q. Sec. post at average dist. from which
 a W. Oak 13 in. dia. bears S26W 26 lks. dist. &
 a No 13 " " " N27W 22 " "
 80.76 to Section Corner
-

- East Between Secs. 25 & 36, T8N-R3E.
 19.10 a W. Oak 24 in. dia.
 23.70 a Brook 10 lks. wide Course South
 40.00 Set the q. Sec. post, from which
 a W. Oak 18 in. dia. bears N17W 57 lks. dist. &
 a Sugar 11 " " " S27W 11 " "
 46.00 a Brook 6 lks. wide Course S60E.
 52.80 a Sycamore 26 in. dia.

T8N R3E, 2^d Mer. Indiana

- 54.00 a Brook 25 lks. wide Ct. S20W
 68.10 Intersected the E. boundary 97 lks. N. of the post
 at a post Cor. to Secs. 25 & 36, from which
 a W. Oak 16 in. diam. bears North 18 lks. dist. &
 a Gum 16 " " " N62W55 " "
 Uneven 2^d rate land, timber W. Oak & Hickory
 undergrowth Dogwood & Sassafras

North Between Secs. 25 & 26, T8N, R3E.

- 13.00 a P. Oak 12 in. diam.
 20.00 a Brook 6 lks. wide S40E
 36.00 a do 5 " " S25E.
 40.00 at the gr. Sec. post, from which
 a W. Oak 13 in. diam. bears S87W38 lks. dist. &
 a Poplar 16 " " " N5E25 " "
 58.50 a Hickory 18 " "
 59.50 a Brook 10 lks. wide Ct. S60W
 80.00 at a post Corner to Secs. 23, 24, 25 & 26, from which
 a Beech 12 in. diam. bears S49E. 49 lks. dist. &
 a Hickory 13 " " " N60W34 " "
 Uneven poor land, timber W. Oak, P. Oak & Hickory
 undergth Dogwood & Sassafras

West Between Secs. 23 & 26, on Random. Dec. 22^d 1819

- 40.00 at temp. gr. Sec. post
 80.82 Intersected the N & S. line 97 lks. N. of post
 Land hilly & poor, timber W & P. Oak & Hickory
 undergth Dogwood & Sassafras

East On true line between Secs. 23 & 26, T8N, R3E.

- 40.41 at the gr. Sec. post at average dist. from which
 a Sugar 10 in. diam. bears South 23 lks. dist. &
 a P. Oak 10 " " " N78E33 " "

212

T8N R3E. 2nd Mer. Indiana

80.82 to Sec. Corner.

East Between Sec. 24 & 25, T8N. R3E.

2.30 a Brook 6 lks. wide Cr. S10E

12.50 a do 6 " " " S20W

15.75 a W. Oak 18 in. dia.

40.00 Set the q. Sec. post from which

a W. Oak 12 in. dia. bears S78W42 lks. dist. &

a B. Oak 7 " " " N56E32 " "

46.90 a W. Oak 16 " "

68.40 a Brook 8 lks. wide Course S40W.

68.50 Intersected the E. boundary 116 lks. N. of post

Set a post Cor. to Sec. 24 & 25, from which

a W. Oak 16 in. dia. bears N52E18 lks. dist. &

a do 11 " " " S31W64 " "

Hilly poor 3rd rate land timber W. B. Oak, Hickory &
 Gum Undergrowth Hickory W. Oak Dogwood & Sassafras.

North Between Sec. 23 & 24, T8N. R3E.

24.70 a W. Ash 12 in. dia.

40.00 Set the q. Sec. post from which

a W. Oak 12 in. dia. bears S88W33 lks. dist. &

a do 14 " " " N55E53 " "

65.31 a Maple 13 " "

80.00 Set a post Corner to Sec. 13, 14, 23 & 24 from which

a W. Oak 12 in. dia. bears South 30 lks. dist. &

a W. — 9 " " " North 20 " "

Land and timber as above —

West On Roadway Between Sec. 14 & 23, T8N R3E.

8.60 a Brook 10 lks. wide Course N40W.

40.00 Set the temp. q. Sec. post.

79.52 Intersected the N. & S. line 32 lks. North of post

T8 N. R3 E 2nd. Mer. Indiana

Hilly poor 3rd rate Land timber W. & B. Oak Hickory
Undergrowth W. Oak Hickory Sassafras—

East On true line Between Secs. 14 & 23, T8 N. R3 E.
39.76 Set the q. Sec. post at the average dist. from which
a W. Oak 18 in. dia. bears S 61 E 38 lks. dist. &
a Hickory 14 " " " N 38 W 43 " "
79.52 to Section Corner

East Between Secs. 13 & 24, T8 N. R3 E.
11.50 a W. Oak 12 in. dia.
37.00 a Brook 8 lks. wide Course North
40.00 Set the q. Sec. post from which
a W. Oak 12 in. dia. bears S 76 W 32 lks. dist. &
a Beech 8 " " " N 59 E 11 " "
60.90 a Hickory 18 " "
62.50 a Brook 10 lks. wide Course N. 10 W.
68.08 Intersected the E. boundary 240 lks. N. of post
Set a post Corner to Secs. 13 & 24 from which
a Beech 10 in. dia. bears S 42 W 3 lks. dist. &
a B. Oak 6 " " " N 32 E 49 " "
Land & timber as on the last mile,

North Between Secs. 13 & 14, T8 N. R3 E.
16.00 a W. Oak 13 in. dia.
35.00 a Stream 70 lks. wide Course S. 50 W.
40.00 Set the q. Sec. post from which
a Beech 8 in. dia. bears N 49 W 61 lks. dist. &
a Do 12 " " " S 60 E 20 " "
60.72 a W. Oak 18 " "
80.00 Set a post Corner to Secs. 11, 12, 13 & 14 from which
a W. Oak 10 in. dia. bears N 33 E 35 lks. dist. &
a Do 16 " " " N 38 W 22 " "

243

S 8 N. R 3 E. 2^d Mer. Indiana

Hilly poor Land, timber W. B. Oak Hickory & Beech
undergrowth W. Oak Hickory & Sassafras —

West On Random Between Sec. 11 & 14, S 8 N, R 3 E.
31. 00 a Brook 25 lks. wide Course S 15 W.
40. 00 Set the temp. q. Sec. post
45. 60 a Brook 20 lks. wide Course South
79. 10 Intersected the N. & S. line 40 lks. North of post
Hilly poor Land, timber W. B. Oak & Hickory Undergrowth
W. Oak, Hickory & Sassafras —

East Outtrue line Between Section. 11 & 14
39. 55 Set a q. Sec. post from which
a Beech 5 in. dia. bears N 6 E 35 lks. dist. &
a W. Oak 12 " " " S 15 W 10 " "
79. 10 to Section Corner —

East Between Sec. 12 & 13, S 8 N, R. 3 E.
23. 00 a Brook 15 lks. wide Course S 10 W.
31. 30 a W. Oak 18 in. dia.
39. 90 a Brook 6 lks. wide Course S. 15 W
40. 00 Set the q. Sec. post from which
a W. Oak 16 in. dia. bears S 41 W 5 1/4 lks. dist. &
a Do 12 " " " N 46 W 63 W " "
63. 15 a W. Oak 12 " "
66. 50 Intersected E. boundary 24 3/4 lks. N. of post, set post cor. to
Sec. 12 & 13 from which
a W. Oak 12 in. dia. bears N 35 W 33 lks. dist. &
a B. Oak 10 " " " N 33 — 20 " "
Poor Hilly Land timber W. B. Oak Hickory underg.
W. Oak Hickory & Sassafras —

North Between Sec. 11 & 12, S 8 N, R. 3 E.

T8 N. R3 E, 2^d. Mer. Indiana

- 12.20 a W. Oak 30 in. dia.
 40.00 Set the q. Sec. post from which
 a W. Oak 9 in. dia. bears S55 W 29 lks. dist. &
 a Beech 11 " " " N70 E 30 " "
 52.40 a W. Oak 14 " " "
 60.00 a Brook 15 lks. wide Course S, 70 W.
 80.00 Set a post Corner to Sec. 1, 2, 11 & 12, from which
 a W. Oak 20 in. dia. bears N60 E 34 lks. dist. &
 a Gum 18 " " " S60 W 12 " "

- West On Random Between Sec. 2 & 11, T8 N, R. 3 E.
 11.00 a Brook 15 lks wide Course South
 37.60 " " 8 " " " S 10 E.
 40.00 Set the temp. q. Sec. post
 79.10 Intersected the N. & S. line 130 lks. N. of post
 Land and timber as on last mile

- East On true line Between Sec. 2 & 11, T8 N, R. 3 E.
 39.55 a W. Oak 16 in. dia. for Corner tree at average dist.
 from which, a W. Oak 13 in. dia. bears N57 W 85 lks. dist
 79.10 to Section Corner

- East Between Sec. 11 & 12, T8 N, R. 3 E.
 9.90 a W. Oak 15 in. dia.
 16.30 a Brook 5 lks. wide Course S, 10 W.
 28.50 a Brook 15 " " " S, 20 W.
 40.00 Set the q. Sec. post from which
 a W. Oak 12 in. dia. bears N34 W 70 lks. dist. &
 a Do 20 " " " N55 E 21 " "
 65.90 Intersected the E. boundary 350 lks. N. of post
 Set a post Cor. to Sec. 11 & 12 from which
 a B. Oak 7 in. dia. bears N27 W 18 lks. dist.
 a Maple 7 " " " S 9 E. 23 " "

347

T8 N. R. 3 E. 2nd Mer. Indiana

*Hilly poor Land timber W. B. Oak & C. Oak Hickory
Undergrowth W. Q. Hickory & Sassafras—*

*North Between Sec. 18 & 2, T8 N. R. 3 E,
15.50 a W. Oak 12 in. dia.
40.00 Set the q. Sec. post from which
a W. Oak 11 in. dia. bears S59W37 lks. dist. &
a Do 12 " " N65E55 " "
47.80 a Brook 8 lks. wide Course S20 W.
65.45 a W. Oak 14 in. dia.
76.75 Intersected the N. boundary 14 Ch. 12 lks. E. of post
Set a post Cor. to Sec. 18 & 2 from which
a Beech 7 in. dia. bears N67W8 lks. dist. &
a Do 14 " " " S53E14 " "
Surveyed by Arthur Henrie & James
Adger, D. Surveyors.
Comp*

*I Certify that the foregoing transcript of field notes of
Township N. 8 N, Range N. 3 E. 2nd Mer. Indiana
has been Comp. with the original notes in this office
and found to be correct,
Surveyor General's Office
Cincinnati, May 1st 1844*

E. S. Tealines
Sur. Genl.